

NOTICE NO .SCM04-3004-24

Kindly furnish us with a written quotation for the supply of goods and services as detailed below.

Request for quotation documents may be obtained from Ray Nkonyeni Municipality – Supply Chain Management Office at 1000 Dan Pienaar Square, Margate from **30 APRIL 2024** during offices hours (7h30 to 16h00) to closing date. However, you are encouraged to download the documents: https://www.rnm.gov.za/index.php/opportunities/tenders/mini-tenders

RENOVATIONS TO HIBBERDENE BEACH

DESCRIPTION/SPECIFICATION		UNIT PI	RICE	AMOUNT VAT)	=
		R	С	R	С
Main Lifeguard Building, exterior:					
1. Replace the brown chromo deck garage door at the rear of lifeguard office bloc.	1				
Use decorative cladding tiles around first aid room door and					
adjacent corners to cover the weathered face bricks, as seen at	sum				
Umzumbe Beach.	Julii				
3. Complete the white marble mosaic so that all areas are of the					
same colour and texture. This goes for the entire facility.	sum				
4. Repair, prepare and paint all wooden fixtures, including roof					
louvers, with Dark Brown paint.	sum				
5. Repaint all exterior trim, matching existing tint. Bay Blue,					
(WAA17), and Rich Papaya, (VEL76).	sum				
Main Lifeguard Building, interior:					
1. Paint inside walls, with a white SABS approved interior, and the	CUM				
ceiling with a white water based enamel.	sum				
2. Sand down and treat doors with Dark Brown paint.	sum				
3. Remove old fixed kitchen two door unit, and countertop, and					
replace it with something similar. Include a new stainless	1				
square/rectangle drop in basin with drainage tops.					
4. Remove old lockers and replace with four upright steel two					
door lockable lockers. Mount on a wooden plinth and fix to the	_				
wall.	4				
5. Remove all old material and accumulated scrap within the office					
area;	sum				
6. Replace two sliding doors claw locks and brass escutcheons for	2				
key holes.	-				
7. Replace a 3 lever SABS mortice lockset at garage inter-leading					
door.	1				
Ablution Block:					
1. Disabled toilet cistern, fit a paraplegic flushing handle kit.	1				
2. Tiling to be done behind pan and cistern in disabled toilet. Use					
a Terracotta type tile that matches the floor split tiles in texture.	sum				
3. Fit an entrance door handle for disabled users, (disability	1				
Indicator lever handle).	-				

4. Replace all eight glass mirrors measuring 350mm x 500mm x 4mm. 5. Replace three ceramic cisterns in male's side to match that of the existing mounted ones. 6. Replace all shut off valves at all water points, (toilet and basins), with 15mm Connex lever ball valve types. 7. Replace all Stmm flex-hoses to all point. 8. Replace all Stmm flex-hoses to all point. 8. Replace all Stmm flex-hoses to all point. 9. Replace all Stmm flex-hoses to all point. 9. Replace all three both indicators on the male toilet cubicle doors, and four in the females side. 10. Service all toilets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel signers, and four folded paper towels. 13. Supply six boxes of folded paper towels. 14. Replace four \$A8E, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 8. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace found main walkway area to seven points and refitting a section of loose palisade with coach screws and fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace found the found of salver was an experiment of the found of the point of the po			1	T.	1
5. Replace three ceramic cisterns in male's side to match that of the existing mounted ones. 6. Replace all Shut off valves at all water points, (toilet and basins), with 15mm Connex lever ball valve types. 7. Replace all Shut off valves to all point. 8. Replace all Shut off valves to all point. 9. Replace all Shut off valves to all point. 9. Replace all Shut off valves to all point. 9. Replace all M Star under-tile shower tap head parts in the inside showers as per existing. 9. Replace all three bolt indicators on the male toilet cubicle doors, and four in the females side. 10. Service all toilets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel signensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in ((A) (30)) above. 19. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace section, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway errance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-10mm will need to be replaced at both ends of each section. The straining posts, with a minimum diam	4. Replace all eight glass mirrors measuring 350mm x 500mm x	8			
the existing mounted ones. 6. Replace all shut off valves at all water points, (toilet and basins), with 15mm Connex lever ball valve types. 7. Replace all 15mm flexi-hoses to all point. 8. Replace all 15mm flexi-hoses to all point. 8. Replace all 15mm flexi-hoses to all point. 9. Replace all 15mm flexi-hoses to all point. 9. Replace all three boil indicators on the male toilet cubicle doors, and four in the females side. 10. Service all toilets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in (A) (CS) above. 17. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 18. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 19. Replace exterion, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres morthern side of the main walkway wall past the railway crossing. 19. Replace section. The straining posts are to be set in ZSMPA concrete. 19. All tubble and unused material to be removed off site on a regular basis. 10. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 11. Exercical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 19. Replace galvanized lockable bollards. This includes anchor post, sum					
basins), with 15mm Connex lever ball valve types. 7. Replace all 15mm flexi-hoses to all point. 8. Replace all 15mm flexi-hoses to all point. 8. Replace all 25mm flexi-hoses to all point. 8. Replace all 35mm flexi-hoses to all point. 8. Replace all 35mm flexi-hoses to all point. 8. Replace all 45mm flexi-hoses to all point. 8. Replace all 55mm flexi-hoses to all point. 9. Replace all 15mm flexi-hoses to all point. 9. Replace all 15mm flexi-hoses to all point. 10. Service all toilets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in (I(A) (05)] above. 17. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 17. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 18. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 19. A Replace all sections of Hawker Stalls corrugated roof. Match to existing, that includes size, shape, and tint). 19. A Replace all sections of Hawker Stalls corrugated roof. Match to existing, that includes size, shape, and tint). 20. Replace all sections of Ha		3			
7. Replace all 15mm flexi-hoses to all point. 8. Replace all X Star under-tile shower tap head parts in the inside showers as per existing. 9. Replace all three bolt indicators on the male toilet cubicle doors, and four in the females side. 10. Service all toilets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in (IA) (IS) above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace section. He straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace galvanized lockable bollards. This includes anchor post, sum	·	sum			
8. Replace all % Star under-tile shower tap head parts in the inside showers as per existing. 9. Replace all three bolt indicators on the male toilet cubicle doors, and four in the females side. 10. Service all toilets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four \$2.85\$, external \$3\$ lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (0S)] above. Exterior Surround work 1. Work on palisade brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side off a highest stand of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side off the main walkway entrance wall. Complete the fence with a serious portions with a minimum diameter between 75-100mm will need to be replaced at both conducted at both conducted and the section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both conducted and first diameter between 75-100mm will need to be replaced at both and so fa cash section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end t		sum			
Inside showers as per existing. 9. Replace all three bolt indicators on the male toilet cubicle doors, and four in the females side. 10. Service all toilets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. 17. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. 12. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage sa	·	34111			
9. Replace all three bolt indicators on the male toilet cubicle doors, and four in the females side. 10. Service all toilets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. 17. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plus. 17. Replace all sections of loose palisade with coach screws and Fischer plus. 18. Replace all sections of loose palisade with coach screws and Fischer plus. 18. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 18. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 18. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. 18. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 18. All rubble and unused material to be removed off site on a regular basis. 19. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs re	· · · · · · · · · · · · · · · · · · ·	sum			
doors, and four in the females side. 10. Service all tollets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in (IA) (051) above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace galvanized lockable bo					
10. Service all toilets ensuring that the flushing and plunger mechanisms work by replacing all the galvanized split pins at the very least. 11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two % star chrome tap head-parts for outside showers as per existing.	·	3			
very least. 1. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace galvanized lockable bollards. This includes anchor post, sum	10. Service all toilets ensuring that the flushing and plunger				
11. Replace four 110mm breather valves as well as holder bats to match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply showses of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work	mechanisms work by replacing all the galvanized split pins at the	sum			
match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts, with a minimum diameter between 75-100mm will need to be removed off site on a regular basis. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical pept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ½ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	very least.				
match. 12. Supply four new plastic waste paper bins with swinging lids, four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts, with a minimum diameter between 75-100mm will need to be removed off site on a regular basis. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, as Replace two ½ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post, sum	11. Replace four 110mm breather valves as well as holder bats to	4			
four plastic soap dispensers, and four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Popt. Two photocells, two Earth leakage samite MCB, and an an an application of the proper seventians. 8. Replace two % star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post, sum	match.	4			
four folded paper towel dispensers. 13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¼ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post, sum	12. Supply four new plastic waste paper bins with swinging lids,				
13. Supply six boxes of folded paper towels. 14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two % star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	four plastic soap dispensers, and	4			
14. Replace four SABS, external 3 lever mortice locksets with HD chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (DS)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two % star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two % star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized olockable bollards. This includes anchor post,	13. Supply six boxes of folded paper towels.	6			
chromed handles. 15. Paint all exterior trim, as per tint colours mentioned in point (A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¼ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	14. Replace four SABS, external 3 lever mortice locksets with HD	1			
(A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two % star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	chromed handles.	7			
(A) above. 16. Repair, prepare, and treat all wooden fixtures, as per mentioned in [(A) (05)] above. Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	15. Paint all exterior trim, as per tint colours mentioned in point	sum			
Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two % star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	, ,	Juiii			
Exterior Surround work 1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,		sum			
1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	mentioned in [(A) (05)] above.	34111			
1. Work on palisade brick wall around the main parking area. This includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
includes redoing damaged brick work at seven points and refitting a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
a section of loose palisade with coach screws and Fischer plugs. 2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two % star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
2. Repair brick roll on pedestrian walkway wall past the railway crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	· · · · · · · · · · · · · · · · · · ·	sum			
crossing. 3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	·				
3. Replace all sections of Hawker Stalls corrugated roof. Match to existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,		sum			
existing, (that includes size, shape, and tint). 4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					1
4. Replace sections, (left and right sides of railway line), of five foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	,	sum			
foot, plastic coated, diamond mesh fencing, approximately forty metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
metres northern side of the main walkway entrance wall. Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
Complete the fence with a single strand of razor wire across the top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	· · · · · · · · · · · · · · · · · · ·				
top of each section. The straining posts, with a minimum diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	· ·				
diameter between 75-100mm will need to be replaced at both ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	,	sum			
ends of each section. The straining posts are to be set in 25MPA concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
concrete. 5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	•				
5. All rubble and unused material to be removed off site on a regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
regular basis. 6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
6. Galvanized 110mm ID flanged end to stand pipe at conservancy tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,		sum			
tank needs replacing as requested by UGU VTS. 7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,		_			
7. Electrical parts required and fitted, as listed by the Electrical Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	, , , , , , , , , , , , , , , , , , , ,	1			
Dept. Two photocells, two Earth leakage samite MCB, one 63A mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
mains breaker samite MCB. 8. Replace two ¾ star chrome tap head-parts for outside showers as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,	· · · · · · · · · · · · · · · · · · ·	sum			
as per existing. 9. Replace galvanized lockable bollards. This includes anchor post,					
9. Replace galvanized lockable bollards. This includes anchor post,	8. Replace two ¾ star chrome tap head-parts for outside showers	2			
· · · · · · · · · · · · · · · · · · ·	i i i				<u> </u>
locking pin, bollard, and stainless-steel moon lock.	9. Replace galvanized lockable bollards. This includes anchor post,	cum			
	locking pin, bollard, and stainless-steel moon lock.	Juill			

10. Replace four concrete chip bollards and remove old ones off site.	4		
11. Make up four disabled access signs as required by WESSA Blue Flag requirements.	4		
12. Paint all free-standing structures, including bins, outside showers and wooden walkway onto the beach. Again, repair, prepare, paint, or treat.	sum		

- NB:
- CIDB GRADING 1GB OR HIGHER IS COMPULSORY AND MUST BE ATTACHED TO QUOTATION
- THE SUCCESSFUL BIDDER IS EXPECTED OT SUBMIT A PROGRAMME OF WORKS AND WORKS INSURANCE WITHIN FIVE (5) WORKING DAYS AFTER RECEIPT OF APPOINTMENT LETTER
- ELECTRICAL CERTIFICATE OF COMPLAINCE UPON COMPLETION

SUB TOTAL	
ADD 15%VAT	
TOTAL	

A COMPULSORY SITE INSPECTION WILL BE HELD AT HIBBERDENE MAIN BEACH

DATE: 03 May 2024

TIME: 12:00

CONTACT: ANTON 082 490 7206

REFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022 SPECIFIC GOALS FOR THE TENDER AND POINTS CLAIMED MUST BE INDICATED PER TABLE BELOW

	<u>POIN</u>	Verification Documents
SPECIFIC GOALS	<u>TS</u>	
	10	ID Copies: Directors Co.
		Registration CSD
1. Youth ownership - 100% : Black		Shareholders Certificate
	8	ID Copies: Directors Co.
2. Youth ownership - > 51%: Black		Registration CSD
		Shareholders Certificate
	2	ID Copies: Directors Co.
3 Youth ownership - 25% - 50%:		Registration CSD
Black		Shareholders Certificate
1. an EME or QSE which is at least 100%	10	Sworn Affidavit - QSE/EME
owned by black people.		General and Bank
		Confirmation Letter
2. an EME or QSE which is at least 51%	8	Sworn Affidavit - QSE/EME
owned by black people.		General and Bank
		Confirmation Letter
3. an EME or QSE which is at least 25%-	2	Sworn Affidavit - QSE/EME
50% owned by black people.		General and Bank
Some Switted by black people.		Confirmation Letter
Total points	<u>20</u>	

Sealed quotations must be marked: TENDER NO. SCM04-3004-24 RENOVATIONS TO HIBBERDENE BEACH

must be deposited into a Tender box at the Supply Chain Management Office (Margate) by no later than 12pm 7 MAY 2024. Telegraphic faxed, emailed, and late quotations will not be accepted. A valid tax clearance certificate from SARS reflecting your tax pin code must be furnished. Mini Tender documents (available on our website and at the Supply Chain Management Office) must be attached. It is mandatory that all service providers are registered on the Central Supplier Database (CSD) and proof of your registration reflecting your CSD Number must be furnished with every tender submission. Failure to attach all mandatory documents as is requested on the tender documents will result in your tender not being further evaluated.

FAILURE TO COMPLY WITH THESE CONDITIONS MAY INVALIDATE YOUR OFFER.

All queries in respect of the above should be addressed to the Supply Chain Management Office – 039-3128378 The Municipality does not bind itself to accept the lowest or any quotation and reserves the right to accept the whole or any part of the quote.

	kay Nkonyeni Municipality
	P O Box 5
	PORT SHEPSTONE
	4240
COMPANY FULL NAME	
	COMPANY STAMP
AUTHORISED PERSON FULL NAME & SIGNATURE	
- <u></u>	
DATE	



CHECKLIST

Tender Name:		
Date:		
NB!!!!! Please attach copies of the followi following duly completed and up to date downwill lead to automatic disqualification.	•	
Company registration documents.		
ID documents of directors/owners/Valid SARS Pin	members/shareholders.	—
Past Experience (1) & (2)		
Declarations. Joint Venture agreement Full CSD Report		
Documents for claiming Specific G	oals points.	
PLEASE TICK APPLICABLE BOX		
Name of BidderI	Bid Number	
Closing Time12:00	Closing Date//	

SPECIFIC GOAL REQUIREMENTS

(SPECIFIC GOAL VERIFICATION DOCUMENTS MUST BE SUBMITTED IN ORDER TO CLAIM FOR PREFERENCE POINTS FOR SPECIFIC GOAL)

THE COUNCIL RESERVES THE RIGHT NOT TO ACCEPT THE LOWEST BID OR ANY BID AND RESERVES THE RIGHT TO ACCEPT THE WHOLE OR PART OF THE BID, OR TO REJECT ALL BIDS AND CANCEL THE NOTICE TO BID

PLEASE INITIAL EACH PAGE AS PROOF THAT YOU HAVE READ AND UNDERSTOOD THE CONTENTS. FAILURE TO COMPLY WILL LEAD TO DISQUALIFICATION OF YOUR BID/ QUOTE.

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE RAY NKONYENI MUNICIPALITY. BIDDERS SHOULD ENSURE THAT BIDS ARE DELIVERED TIMEOUSLY TO THE CORRECT ADDRESS. ALL LATE BIDS WILL BE RETURNED UNOPENED.

		1) T	ENDERER INFORMATION
ADDRESS :			
COMMERCIAL BANK	ACCOUN	IT DETA	<u>ILS</u>
Bank	:		
Branch	:		
Account No.	:		
Name under which accou	ınt is opera	ted:	
Bank Contact Person	:		
FIRM DETAILS			
Name of Contactor / Con	npany / Per	son:	
Date of Inauguration	:		
Registered Address of Fi	rm :		
Vat Registration No.	:		
Telephone No. :			
Cell No.			
Fax No.			
E-mail address : Postal Address :			
			(Postal Code)
Physical Address	:		

	ature of Tenderer :erson authorised to sign the tender)
	No bid will be accepted from persons in the service of the state□.
2. An 3	y person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
3.1	Full Name:
3.2	Identity Number:
3.3	Company Registration Number:
3.4	Tax Reference Number:
3.5	VAT Registration Number:
3.6	Are you presently in the service of the state YES / NO
3.6.1	If so, furnish particulars
3.7	Have you been in the service of the state for the past twelve months?
	YES / NO
3.7.1	If so, furnish particulars
3.8	Do you, have any relationship (family, friend, other)with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid?
	YES / NO
	If so, furnish particulars
3.9	Are you, aware of any relationship (family, friend, other) between a bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? YES / NO
	If so, furnish particulars
3.10	Are any of the company's directors, managers, principle shareholders or stakeholders in service of the
0.40	state? YES / NO
3.10.	1 If so, furnish particulars
3.11	Are any spouse, child or parent of the company's directors, managers, stakeholders in service of the state? YES / NO
3.11.	1 If so, furnish particulars

_____ (Postal Code)

CONTRACT FORM - PAST EXPERIENCE

Bidders must furnish hereunder details of similar works / service, which they have satisfactorily completed in the past. The information shall include a description of the works, the contract value and the name of the employer.

			DURATION AND	
EMPLOYER	NATURE OF	VALUE OF	COMPLETION	EMPLOYER CONTACT
	WORK	WORK	DATE	NO

PAST EXPERIENCE WITH RAY NKONYENI MUNICIPALITY

PROJECT NAME	VALUE OF WORK	CONTRACT START DATE	ANTICIPATED / ACTUAL COMPLETION DATE

- ☐ Supply Chain Management Regulations: "in the service of the state" means to be
 - (a) a member of -
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
 - (b) a member of the board of directors of any municipal entity;
 - (c) an official of any municipality or municipal entity;
 - (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999); (e) a member of the accounting authority of any national or provincial public entity; or (f) an employee of Parliament or a provincial legislature.
- ¹ Includes price quotations, advertised competitive bids, limited bids and proposals.
- ² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.
- ³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

EXPLANATORY NOTES

DECLARATION FOR PROCUREMENT MBD5

For all procurement bidders must complete the following questionnaire:

- Are you by law required to prepare annual financial statements for auditing?
 *YES / NO
- 1.1 If yes, submit audited annual financial statements for the past three years or since the date of establishment if established during the past three years.
- Do you have any outstanding undisputed commitments for municipal services towards any municipality for more than three months or any other service provider in respect of which payment is overdue for more than 30 days? YES? NO

	towards any municipality for payment is overdue for mo		nonths or other service provide	er in respect of which
2.	2 If yes, provide particulars.			
3.	•		organ of state during the past f dispute concerning the executi	
3.	1 If yes, furnish particulars.			
4.				, if so, what portion and whether transferred out of the Republic?
4.	1If yes, furnish particulars.			
4.2	2 TYPE OF FIRM			
□ Partnership □ One person business/sole trader □ Close corporation □ Company □ (Pty) Limited □ [TICK APPLICABLE BOX]				
DE	ESCRIBE PRINCIPAL BUSINESS	ACTIVITIES		
4.3	3 MUNICIPAL INFORMATION	N		
	Municipality where business	is situated:		
	Registered Account No.	:		
	Stand No.	:		
4.4	4 TOTAL NUMBER OF YEAR	RS THE FIRM HAS BE	EEN IN BUSINESS?	
4.5	5 List all Shareholders by Na relevant.	ame, Position, Identi	ty Number, Citizenship, HDI sta	tus and ownership, as
F	Name	Date/Position occupied in Enterprise	ID Number	Date RSA Citizenship obtained

If no, this serves to certify that the bidder has no undisputed commitments for municipal services

2.1

5.	Consortiun	n / Joint Venture				
	Nan	ne of member			Percentage ((%)
5.1 l/we	points cla	imed, based on t	nts that he/she is duly he equity ownership, eference(s) shown ar	indicated in paragra	ph 8 of the fo	
(i)	The informa	ation furnished is	true and correct.			
(ii)	The Equity	ownership claime	ed is in accordance wi	th the General Cond	itions as indic	cated.
(iii)	In the event of a contract being awarded as a result of points claimed as shown in paragraph 8, the contractor may be required to furnish documentary proof to the satisfaction of the Council that the claims are correct.					
(iv)	If the claims are found to be incorrect, the Council may, in addition to any other remedy it may have:-					
	(a)	recover costs, I and	osses or damages it	nas incurred or suffe	red as a resu	ult of that person's conduct;
	(b)		ract and claim any da ngements due to suc		uffered as a re	esult of having to make less
				W	ITNESSES):
				1.)		
	SIGNA	TURE (S) OF	BIDDER (S)	2.)		
DATE	:		_			

MBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022.

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim regarding preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$
 or $Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1+rac{Pt-P\,max}{P\,max}
ight)$$
 or $Ps = 90\left(1+rac{Pt-P\,max}{Pmax}
ight)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system: or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
1 AN EME or QSE which is at least 100% owned by black people	10	
2. AN EME or QSE which is at least 100% owned by black people.	8	

3. AN EME OR QSE which is at least 25%-50% owned by black people	2	
1. Youth ownership - 100%: Black	10	
2. Youth ownership - > 51%: Black	8	
	2	
3 Youth ownership - 25% - 50%: Black		

DECLARATION WITH REGARD TO (COMPANY	/FIRM
-------------------------------------	---------	-------

DECLA 4.3.		H REGARD TO COMPANY/FIRM company/firm
4.4.	Company	registration number:
4.5.	TYPE OF C	COMPANY/ FIRM
	☐ One ☐ Clos ☐ Pub ☐ Pers ☐ (Pty	tnership/Joint Venture / Consortium e-person business/sole propriety se corporation elic Company sonal Liability Company c) Limited h-Profit Company te Owned Company CABLE BOX
4.6.	claimed, k	ersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points based on the specific goals as advised in the tender, qualifies the company/ firm for the se(s) shown and I acknowledge that:
	i) The ir	nformation furnished is true and correct;
		reference points claimed are in accordance with the General Conditions as indicated in graph 1 of this form;
	4.2, t	event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and he contractor may be required to furnish documentary proof to the satisfaction of the organ of that the claims are correct;
	-	specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of act have not been fulfilled, the organ of state may, in addition to any other remedy it may have
	(a)	disqualify the person from the tendering process;
	(b)	recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
	(c)	cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
	(d)	recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the <i>audi alteram partem</i> (hear the other side) rule has been applied; and
	(e)	forward the matter for criminal prosecution, if deemed necessary

 Si		
SURNAME AND NAME: DATE:		14 P a g e
ADDRESS:		

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES MBD 8

- 1 This Municipal Bidding Document must form part of all bids invited.
- It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

14			NI.
ltem	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of	Yes	No
	Restricted Suppliers as companies or persons prohibited from doing business with the		
	public sector?		
	(Companies or persons who are listed on this Database were informed in writing of this		
	restriction by the Accounting Officer/Authority of the institution that imposed the		
	restriction after the audi alteram partem rule was applied).		
	The Database of Restricted Suppliers now resides on the National Treasury's		
	website(<u>www.treasury.gov.za</u>) and can be accessed by clicking on its link at the bottom of the home page.		
	bottom of the nome page.		
4.1.1	If so, furnish particulars:		
	ii oo, turiion paraodiato.		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms	Yes	No
	of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of		
	2004)?		
	The Register for Tender Defaulters can be accessed on the National Treasury's		
	website (www.treasury.gov.za) by clicking on its link at the bottom of the home		
	page.		
4.2.1	If so, furnish particulars:		
4.2.1	ii so, turnisti particulais.		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of	Yes	No
1.0	law outside the Republic of South Africa) for fraud or corruption during the past five	169	
	years?		
4.3.1	If so, furnish particulars:		
ltem	Question	Yes	No
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or	Yes	No
	municipal charges to the municipality / municipal entity, or to any other	. 55	
	municipality / municipal entity, that is in arrears for more than three months?		
	, , , , , , , , , , , , , , , , , , , ,		

4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No 🗌
4.7.1	If so, furnish particulars:		

CERTIFICATE OF INDEPENDENT BID DETERMINATION MBD9

- 1. Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 2. Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - (a) take all reasonable steps to prevent such abuse;
 - (b) reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - (c) cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 3. This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 4. In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹Includes price quotations, advertised competitive bids, limited bids and proposals.

Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION MBD9

I, the undersigned, in submitting the accompanying bid:		
(Bid	Number and Description)	
in response to the invitation for the bid made by H	ibiscus Coast Municipality	
do hereby make the following statements that I certify to be true and complete in every respect:		
I certify, on behalf of:	that:	

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;

- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder:
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder.
- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices:
 - (b) geographical area where product or service will be rendered (market allocation);
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or (f) bidding with the intention not to win the bid.
- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No. 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No. 12 of 2004 or any other applicable legislation.

CERTIFICATION

I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of Bidder

General Conditions of Contract

- 1. Definitions
- 2. Application
- General
- Standards
- 5. Use of contract documents and information inspection
- 6. Patent Rights
- 7. Performance security
- 8. Inspections, tests and analyses
- Packing
- 10. Delivery and documents
- 11. Insurance
- 12. Transportation
- Incidental Services
- 14. Spare parts
- 15. Warranty
- 16. Payment
- 17. Prices
- 18. Variation orders
- 19. Assignment
- 20. Subcontracts
- 21. Delays in the supplier's performance
- 22. Penalties
- 23. Termination for default
- 24. Anti-dumping and countervailing duties and rights
- 25. Force Majeure
- 26. Termination for insolvency
- 27. Settlement of Disputes
- 28. Limitation of Liability
- 29. Governing language
- 30. Applicable law
- 31. Notices
- 32. Taxes and duties
- 33. Transfer of contracts
- 34. Amendments of contracts
- 35. Prohibition of restrictive practices

1. Definitions

- 1.1 The following terms shall be interpreted as indicated:
- 1.2 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.5 "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- 1.6 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.7 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.

- 1.8 "Database application form" means the application form required by the Hibiscus Coast Municipality to be filled in by the successful tenderer, following the award of the contract, for inclusion on the HCM database before payment is made.
- 1.9 "Day" means calendar day.
- 1.10 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.11 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.12 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the goods are so delivered and a valid receipt is obtained.
- 1.13 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.14 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.15 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.16 "GCC" means the General Conditions of Contract.
- 1.17 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the goods covered by the bid will be manufactured.
- 1.19 "Local content" means that portion of the bidding price, which is not included in the imported content provided that local manufacture does take place.
- 1.20 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.21 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.22 "Project site," where applicable, means the place indicated in bidding documents.
- 1.23 "Purchaser" means the organization purchasing the goods.
- 1.24 "Republic" means the Republic of South Africa.
- 1.25 "SCC" means the Special Conditions of Contract.
- 1.26 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.27 "Supplier" means the successful bidder who is awarded the contract to maintain and administer the required and specified service(s) to the State.
- 1.28 "Tort" means in breach of contract.
- 1.29 "Turnkey" means a procurement process where one service provider assumes total responsibility for all aspects of the project and delivers the full end product / service required by the contract.
- 1.30 "Written" or "in writing" means hand-written in ink or any form of electronic or mechanical writing.

2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services (excluding professional services related to the building and construction industry), sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific goods, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a nonrefundable fee for documents may be charged.
- 3.2 Invitations to bid are usually published in locally distributed news media and on the municipality/municipal entity website.
- 4. Standards 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.
- 5. Use of 5.1 contract documents information

by

The supplier shall not, without the purchaser's prior written consent,

disclose the contract, or any provision thereof, or any specification, plan

drawing, pattern, sample, or information furnished by or on behalf of the council or in connection therewith, to any person other than a person employed supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be

necessary for purposes of such performance.

- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.
- 6. Patent rights 6.1 The supplier shall indemnify the purchaser against all third party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.
 - When a supplier developed documentation / projects for the municipality / municipal 6.2 entity, the intellectual, copy and patent rights or ownership of such documents or projects will vest in the municipality / municipal entity.

7. **Performance** successful of the amount

7.1 security

Within thirty (30) days of receipt of the notification of contract award, the bidder shall furnish to the purchaser the performance security specified in SCC.

- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or (b) a cashier's or certified cheque.

- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified.
- 8. Inspections, tests and
- 8.1 All pre-bidding testing will be for the account of the bidder.

analyses

8.2

- If it is a bid condition that goods to be produced or services to be rendered should at any stage be subject to inspections, tests and analyses, the bidder or contractor's premises shall be open, at all reasonable hours, for inspection by a representative of the purchaser or organization acting on behalf of the purchaser.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the goods to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the goods or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such goods or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Goods and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract goods may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected goods shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with goods, which do comply with the requirements of the contract. Failing such removal the rejected goods shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute goods forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected goods, purchase such goods as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 22 of GCC.
- 9. Packing 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
 - 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, and in any subsequent instructions ordered by the purchaser.
- **10. Delivery and** 10.1 Delivery of the goods and arrangements for shipping and **documents** clearance obligations, shall be made by the supplier in accordance with the terms specified in the contract.
- 11. Insurance 11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified.
- **12. Transportation** 12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified.
- **13. Incidental** 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any:

- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied goods:
- furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
- (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.
- **Spare parts** 14.1 As specified, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
 - such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and;
 - (b) in the event of termination of production of the spare parts:
 - (i) advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.
- **15. Warranty** 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
 - 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise.
 - 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
 - 15.4 Upon receipt of such notice, the supplier shall, within the period specified and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
 - 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.
- **16. Payment** 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified.
 - The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
 - Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
 - 16.4 Payment will be made in Rand unless otherwise stipulated.
 - Payment will only be made if the supplier has filled in and submitted the necessary database application form to the satisfaction of the Chief Financial Officer.

- 17. Prices 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized or in the purchaser's request for bid validity extension, as the case may be.
- **Variation** 18.1 In cases where the estimated value of the envisaged changes in purchase does not **orders** vary more than 15% of the total value of the original contract, the contractor may be instructed to deliver the goods or render the services as such. In cases of measurable quantities, the contractor may be approached to reduce the unit price, and such offers may be accepted provided that there is no escalation in price.
- **19. Assignment** 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.
- **20. Subcontracts** 20.1 The supplier shall notify the purchaser in writing of all sub contracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.
- 21. Delays in the supplier's performance
- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the goods are required, or the supplier's services are not readily available.
- 21.4 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of penalties.
- 21.5 Upon any delay beyond the delivery period in the case of a goods contract, the purchaser shall, without cancelling the contract, be entitled to purchase goods of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.
- 22. Penalties 22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.
- 23. Termination for default part:
- $23.1 \qquad \text{The purchaser, without prejudice to any other remedy for breach of contract} \ , \ by \ \text{by written notice of default sent to the supplier, may terminate this contract in whole or in}$
 - if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - (b) if the supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgement of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner, as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the

- purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the supplier as having no objection and proceed with the restriction.
- Any restriction imposed on any person by the purchaser will, at the discretion of the purchaser, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the purchaser actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
 - (a) the name and address of the supplier and / or person restricted by the purchaser;
 - (b) the date of commencement of the restriction; (c) the period of restriction; and
 - (d) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

- 23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.
- 24. Anti-dumping 24.1 When, after the date of bid, provisional payments are required, or anti-dumping and or countervailing duties are imposed, or the amount of a provisional payment or countervailing anti-dumping or countervailing right is increased in respect of any dumped or duties and rights subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the supplier to the purchaser or the purchaser may deduct such amounts from moneys (if any) which may otherwise be due to the supplier in regard to goods or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him.
- **25. Force** 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be **majeure** liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
 - 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.
- **26. Termination** 26.1 The purchaser may at any time terminate the contract by giving written notice to the **for insolvency** supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be

without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the purchaser.

- **27. Settlement** 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser **of disputes** and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
 - If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
 - 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
 - 27.4 Notwithstanding any reference to mediation and/or court proceedings herein, (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier for goods delivered and / or services rendered according to the prescripts of the contract.
- **28. Limitation of** 28.1 Except in cases of criminal negligence or willful misconduct, and in the case of **liability** of infringement pursuant to Clause 6;
 - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
 - (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.
- **29. Governing** 29.1 The contract shall be written in English. All correspondence and other documents **language** pertaining to the contract that is exchanged by the parties shall also be written in English.
- **30. Applicable** 30.1 The contract shall be interpreted in accordance with South African laws, unless **law** otherwise specified.
- 31. Notices 31.1 Every written acceptance of a bid shall be posted to the Supplier concerned by Supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice.
 - 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
- **Taxes and** 32.1 A foreign supplier shall be entirely responsible for all taxes, **duties** stamp duties, license fees, and other such levies imposed outside the purchaser's country.
 - 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
 - 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid SARS must have certified that the tax matters of the preferred bidder are in order.
 - 32.4 No contract shall be concluded with any bidder whose municipal rates and taxes and municipal services charges are in arrears.
- **Transfer of** 33.1 The contractor shall not abandon, transfer, cede assign or **contracts** sublet a contract or part thereof without the written permission of the purchaser.
- **34. Amendment** 34.1 No agreement to amend or vary a contract or order or the **of contracts** conditions, stipulations or provisions thereof shall be valid and of any force unless such agreement to amend or vary is entered into in

writing and signed by the contracting parties. Any waiver of the requirement that the agreement to amend or vary shall be in writing, shall also be in writing.

- **35. Prohibition** 35.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998 as amended **of restrictive** an agreement between, or concerted practice by , firms or a decision by an **practices** association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is / are or a contractor(s) was / were involved in collusive bidding.
 - 35.2 If a bidder(s) or contractor(s) based on reasonable grounds or evidence obtained by the purchaser has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in section 59 of the Competition Act No 89 0f 1998.
 - 35.3 If a bidder(s) or contractor(s) has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.
- □ SCM Regulations: "in the service of the state" means to be
 - (a) a member of -
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
 - (b) a member of the board of directors of any municipal entity;
 - (c) an official of any municipality or municipal entity;
 - (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999); (e) a member of the accounting authority of any national or provincial public entity; or (f) an employee of Parliament or a provincial legislature.